

Emergency Care Plan



FOOD ALLERGY

Student: _____ Grade: _____ School Contact: _____ DOB: _____

Asthmatic: Yes No (increased risk for severe reaction) Allergen(s): _____

Mother: _____ MHome #: _____ MWork #: _____ MCell #: _____


Father: _____ FHome #: _____ FWork #: _____ FCell #: _____

Emergency Contact: _____ Relationship: _____ Phone: _____

SYMPTOMS OF AN ALLERGIC REACTION MAY INCLUDE ANY/ALL OF THESE:

- **MOUTH** Itching & swelling of lips, tongue or mouth, mouth "feels hot"
- **THROAT** Itching, tightness in throat, hoarseness, cough
- **SKIN** Hives, itchy rash, swelling of face and extremities
- **STOMACH** Nausea, abdominal cramps, vomiting, diarrhea
- **LUNG** Shortness of breath, repetitive cough, wheezing
- **HEART** "Thready pulse", "passing out"

The severity of symptoms can change quickly – it is important that treatment is give immediately.



STAFF MEMBERS INSTRUCTED:

Administration

Classroom Teacher(s)

Support Staff

Special Area Teacher(s)

Transportation Staff

TREATMENT: Rinse contact area with water if appropriate

Treatment should be initiated with symptoms without waiting for symptoms

Benadryl ordered: Yes No Give _____ Benadryl per provider's orders

Call school nurse. Call parent/guardian if off school grounds.

Epinephrine ordered: Yes No Special instructions: _____

IF INGESTION OR SUSPECTED INGESTION OF ALLERGEN OCCURS, SYMPTOMS ARE PRESENT AND EPINEPHRINE IS ORDERED, GIVE EPINEPHRINE IMMEDIATELY AND CALL 911.

Preferred Hospital if transported: _____

Epinephrine provides a 20 minute response window. After epinephrine, a student may feel dizzy or have an increased heart rate. This is a normal response. Students receiving epinephrine should be transported to the hospital by ambulance. A staff member should accompany the student to the emergency room if the parent, guardian or emergency contact is not present and adequate supervision for other students is present.

Transportation Plan: Medication available on bus Medication NOT available on bus Does not ride bus

Special instructions: _____


Healthcare Provider: _____ Phone: _____

Written by: _____ Date: _____

Copy provided to Parent

Copy sent to Healthcare Provider

Parent/Guardian Signature to share this plan with Provider and School Staff: _____



Emergency Care Plan



BEE STING ALLERGY

Student: _____ Grade: _____ School Contact: _____ DOB: _____

Asthmatic: Yes No (increased risk for severe reaction) Severity of reaction(s): _____

Mother: _____ MHome #: _____ MWork #: _____ MCell #: _____


Father: _____ FHome #: _____ FWork #: _____ FCell #: _____

Emergency Contact: _____ Relationship: _____ Phone: _____

SYMPTOMS OF AN ALLERGIC REACTION MAY INCLUDE ANY/ALL OF THESE:

- **MOUTH** Itching & swelling of lips, tongue or mouth
- **THROAT** Itching, tightness in throat, hoarseness, cough
- **SKIN** Hives, itchy rash, swelling of face and extremities
- **STOMACH** Nausea, abdominal cramps, vomiting, diarrhea
- **LUNG** Shortness of breath, repetitive cough, wheezing
- **HEART** "Thready pulse", "passing out"

The severity of symptoms can change quickly – it is important that treatment is give immediately.



STAFF MEMBERS INSTRUCTED:

Administration

Classroom Teacher(s)

Support Staff

Special Area Teacher(s)

Transportation Staff

TREATMENT: Remove stinger if visible, apply ice to area. Rinse contact area with water.

Treatment should be initiated with symptoms without waiting for symptoms

Benadryl ordered: Yes No Give _____ Benadryl per provider's orders

Call school nurse. Call parent/guardian if off school grounds.

Epinephrine ordered: Yes No Special instructions: _____

IF ANY SYMPTOMS BEYOND REDNESS OR SWELLING AT THE SITE OF THE STING ARE PRESENT AND EPINEPHRINE IS ORDERED, GIVE EPINEPHRINE IMMEDIATELY AND CALL 911.

Preferred Hospital if transported: _____

Epinephrine provides a 20 minute response window. After epinephrine, a student may feel dizzy or have an increased heart rate. This is a normal response. Students receiving epinephrine should be transported to the hospital by ambulance. A staff member should accompany the student to the emergency room if the parent, guardian or emergency contact is not present and adequate supervision for other students is present.

Transportation Plan: Medication available on bus Medication NOT available on bus Does not ride bus

Special instructions: _____

Healthcare Provider: _____ Phone: _____

Written by: _____ Date: _____

Copy provided to Parent

Copy sent to Healthcare Provider

Parent/Guardian Signature to share this plan with Provider and School Staff: _____

This plan is in effect for the current school year and summer school as needed.